RS2600 Multi-gas Analyzer Real-time Raman Spectroscopy for Multi-gas Analysis in Multiple Industries

Basic Information

Place of Origin: CHINA
Brand Name: JINSP
Certification: CE ISO9001
Model Number: RS2600

Minimum Order Quantity:

• Price: Negotiable

Packaging Details: International Shipping Package

Delivery Time: 90-120 working days
 Payment Terms: T/T, Western Union
 Supply Ability: 50 Unit 90-120 days



Product Specification

Model Name: RS2600 Multi-gas Analyzer

• Laser Excitation 532 ± 0.5nm

Wavelength:

. Spectral Coverage:

200 ~ 4200 Cm-1

Analysis Time: 2 Seconds
 Detection Limit: Ppm Level
 Measurement Time: Real-time

• Highlight: Real-time Raman Gas Analyzer,

Multi-gas Raman Gas Analyzer,

Multiple Industries Raman Gas Analyzer

Product Description

RS2600 Raman Based Multi-gas Analyzer

As the most versatile gas analyzer available, RS2600 serves diverse industries with unified precision. From petrochemical alkanes to metallurgical CO/H₂ blends, its universal detection architecture requires no hardware changes between applications. The patented pressure compensation algorithm ensures reliable readings despite fluctuating process conditions.

Facilities handling corrosive (HF), explosive (CH₄), or rare gases (DT) all benefit from its instantaneous, in-situ analysis. With configurable alarm thresholds and <3-second cycle times, it becomes both safety guardian and process optimization tool across oil refineries, semiconductor fabs, and research laboratories.

Specifications

Components	N2, H2, O2, CO, CO2, H2S, CmHn, etc.
Analysis time	2 seconds
Measurement uncertainty	≤0.2%
Laser excitation wavelength	532 ± 0.5 nm
Spectral coverage	200 ~ 4200 cm-1
Spectral resolution	≤8 cm-1 at full spectral range
Air circuit interface	6 mm standard tube fitting (3 mm, 1/8", and 1/4" are optional)
Input voltage	100~240 VAC,50~60 Hz
Sample gas temperature	-50 ~ 40 °C
Sample gas pressure	1.0 MPa
Unit dimensions	485 mm (Width) × 350 mm (Height) × 600 mm (Depth)
Weight	40 kg

Technical highlights:

Non-destructive gas analysis: Analytes including homonuclear diatomic gases(F2, Cl2, etc.) and isotopic gases (H2, D2, T2, etc.)


Short detection time: Data acquired in seconds

Minimal maintenance: Resistance to high pressure, direct detection without consumables (chromatographic column or carrier gas)

Wide detection range: LOD at ppm level, detection range up to 100%

Application: 1. Monitoring of F2, N2, HF and other components in the fluorination process.


Monitoring of F2, N2, HF and other components in the fluorination process




Application: 2. Quantitative analysis of different Elements in Petrochemical Natural Gas

Effective identification and quantification of various components in natural gas mixtures within 2 seconds, such as alkanes, alkenes, alkynes, etc.

Quantitative analysis of different Elements in Petrochemical Natural Gas




Quantitative analysis of different Elements in Petrochemical Natural Gas



Effective identification and quantification of various components in natural gas mixtures within 2 seconds

Application: 3. Detection of components in reaction and emitted gases of fluorine materials, such as reactant gases, common gases, fluoinated gases.

Detection of components in reaction and emitted gases of fluorine materials



Application: 4. Detection of impurity gases and electronic special gases.

Detection of Impurity Gases in Electronic Special Gases Detecting components: • Electronics special gases: NF₃, WF₆, C₄F₆, NH₃, silica, PH₃, CIF₃, BF₃, GeF₄, SIF₄, CF₄, PF₅, SF₆, MoF₆, etc. • Other impurities: CF₄, N₂, O₂, CO, CO₂, HF, SF₆, N₂O, H₂O, SIF₄, C₃H₈O, H₂, CH₄, BCl₃, PCl₃, NH₃, PH₃, H₂S, SO₂, SIF₄, NF₃, CH₃F, CF₃Cl, CF₂Cl₂, CF₃H, POF₃, PF₂, HCl, etc. N₂ CH₃F CH₃F CH₃F Process 1 Process 2

Gas Analyzer Features

- 1. By constructing quantitative models of multiple standard curves and combining them with chemometric methods, the correlation between spectral signals and the content of various component substances can be effectively established. This comprehensive method not only improves the accuracy of analysis, but also enables the simultaneous processing and analysis of multiple different chemical components, providing a powerful tool for quantitative analysis of complex samples.
- 2. Even in the case of changes in sample gas pressure or fluctuations in testing conditions, this quantitative analysis method can still maintain the accuracy of the results. This is due to its high stability and robustness, ensuring consistent analysis results in any environment, providing reliable data support for scientific research and industrial applications.



Company Introduction

JINSP Company Limited, abbreviated as "JINSP", is a professional supplier with over 17 years of experience in spectral detection technology products, including Raman, FT-IR, LIBS technologies, etc. After 17 years of technology accumulation, the company's core key technologies have reached the international leading position at the level, and the cumulative number of patent applications exceeded 200.

JINSP offers over twenty spectroscopic products across various fields, including pharmaceutical and chemical industries, public security, and customs. Products are available nationwide and are exported to over 30 countries, with cumulative sales exceeding 3,000 units.

Benefit from 30+ R&D engineers, including 4 Ph.D., JINSP is deeply rooted in the field of personalized product customization, and is committed to meeting the diverse and unique needs of customers with excellent professional technology and innovative design capabilities.

Company Profile









Exhibition









Certifications







Q: This is the first time I use, is it easy to operate?

A: We will send you manual and guide vedio in English, it can teach you how to operate the spectrometer. Also our technicians will offer professional tecnical operation meetings.

Q2: Can you offer a operation training?

A: Your technicians can come to our factory for a training. Jinsp technical engineers or local distibutor engineers can go to your place for local support. (installation, training, debugging, maintenance)

Q3: How to receive a best price in the shortest time?

A: When you send us an inquiry, please kindly offer details with wavelength, detector, effective pixels, focal length and so on. We will send you quotation with details soon to your email.

Q: Do you have MOQ requirement of each order?

A: No, we support order for even 1pc order.

Q: What is the product warranty?

A: All product has 1 year warranty, support extending warranty period with extra cost. Please contact with our sales person.



21st Floor, Building D, Tsinghua Tongfang Science and Technology Plaza, Haidian District, Beijing China