

Basic Information		
<ul><li>Place of Origin:</li><li>Brand Name:</li></ul>	CHINA JINSP	
<ul><li>Certification:</li><li>Model Number:</li></ul>	CE RS2100	
<ul> <li>Minimum Order Quantity:</li> </ul>	1	
Price:	Negotiable	
Packaging Details:	International Shipping Package	
Delivery Time:	60-80 working days	
Payment Terms:	тт	
<ul> <li>Supply Ability:</li> </ul>	100 PCS/70-90 days	

## **Product Specification**

Laser Wavelength:	1064nm
Wavelength Accuracy:	0.2nm
Wavelength Stability:	0.01nm
Connectivity Interface:	USB 2.0
Output Data Format:	Spc Standard Spectrum, Prn, Txt And Other Formats Are Optional
Communication     Protocols:	Modbus
Power Supply:	100 ~ 240 VAC 50 ~ 60 Hz



- Power Consumption: 50W
- Detection Accuracy: 0.5%
- Highlight:

Specialty Chemical Production Raman

## More Images





for more products please visit us on spectralanalyser.com

🔁 JINSP

**JINSP Company Ltd.** 

spectralanalyser.com

### **Product Description**

## **RS2100 Online Process Raman Spectroscopy Analyzer for Liquid Reactions**

The RS2100 answers Industry 4.0's call for smart process orchestration. Embedded edge computing transforms raw spectra into OPC-UA compatible concentration signals, seamlessly integrating with DCS/SCADA systems for closed-loop control. Redundant cooling systems guarantee 24/7 operation in foundry-level thermal environments.

Where sampling loops and lab handoffs create decision lag, JINSP installs permanent analytical sentinels. Specialty chemical producers using our solution report 81% fewer batch holds through instantaneous byproduct detection, validating that continuous process knowledge is the ultimate competitive advantage.

#### **Technical Advantages:**

Fast: Results provided within seconds In-situ: No sampling required Universal: Multi-specification detection accessories compatible with different reactors

Intuitive: Real-time display of multi-component trend changes such as raw materials and products. Intelligent: Supports self-optimizing offline modeling and fully automatic online modeling.

#### **Product Specifications:**

Technical Parameter	Value			
Product	Online Raman Analyzer			
Measuremen t Type	Raman Spectrometer			
Laser wavelength	1064nm			
Wavelength accuracy	0.2 nm			
Wavelength stability	0.01 nm			
Sample Type	ample Type Liquid			
Number of detection channels	1 single channel			
Standard Probe	1pc 1.3 m non-immersed fiber optic probe (PR100) and 1pc 5 m immersed probe (PR200-HSGL)			
functions	<ol> <li>Online Monitoring: Continuous real-time collection of single-channel signals, providing real-time substance content and trend changes, enabling intelligent analysis of unknown components during the reaction process;</li> <li>Data Analysis: Capable of processing data through smoothing, peak finding, noise reduction, baseline subtraction, difference spectra, etc;</li> <li>Model Establishment: establishes a quantitative model using known content samples and automatically builds a quantitative model based on real-time data collected during the reaction process.</li> </ol>			
Dimensions	300x356x185mm			
Net Weight	≤10 kg			
Certifications CE ISO9001				

#### Applications:

Li-ion battery industry

Research on the synthesis process of bis(fluorosulfonyl)amide

#### **Biopharmaceutical industry**


Drug crystal form research and consistency evaluation Quality Control in Biofermentation Engineering

#### Fine chemical industry

Research on the process of producing furfuryl alcohol by hydrogenation reaction of furfural Process control of bioenzyme catalytic reactions of nitrile compounds A certain ultra-low temperature nitrification reaction Research on o-xylene nitration reaction process

#### Eg: Quality/Consistency Control in Mass Production

In the mass production of chemical/biological processes, ensuring product quality consistency requires batch-by-batch or realtime analysis of reaction products. Online monitoring technology, with its rapid and continuous advantages, can automate quality control for 100% of batch products. In contrast, offline detection techniques, due to their complex procedures and delayed results, can only perform sample testing, leaving untested products with potential quality risks. **Typical users:** Process production personnel in pharmaceutical and biopharmaceutical companies; production personnel in new materials and chemical companies





Can withstand extreme reaction conditions such as strong acid, strong alkali, strong corrosiveness, high temperature, and high pressure



Real-time response in seconds, no need to wait, providing analysis results promptly.



No sampling or sample processing required, in-situ monitoring without interference to the reaction system.



Continuous monitoring to quickly determine the reaction endpoint and alert for any anomalies.


### Usage models:

RS2100 has three usage modes in the laboratory, and each mode requires different accessories.

1. The first mode uses an immersed long probe that goes deep down to the liquid level of the reaction system to monitor each reaction component. Depending on the reaction vessel, reaction conditions, and system, different specifications of probes are configured.

2. The second mode involves using a flow cell to connect a bypass probe for online monitoring, which is suitable for reactors like microchannel reactors. Various probes are configured based on the specific reaction vessel and conditions.

3. The third mode utilizes an optical probe directly aligned with the side window of the reaction vessel for reaction monitoring.



#### **Company Introduction:**

JINSP Company Limited, abbreviated as "JINSP", is a professional supplier with over 17 years of experience in spectral detection technology products, including Raman, FT-IR, LIBS technologies, etc. After 17 years of technology accumulation, the company's core key technologies have reached the international leading position at the level, and the cumulative number of patent applications exceeded 200.

JINSP offers over twenty spectroscopic products across various fields, including pharmaceutical and chemical industries, public security, and customs. Products are available nationwide and are exported to over 30 countries, with cumulative sales exceeding 3,000 units.

Benefit from 30+ R&D engineers, including 4 Ph.D., JINSP is deeply rooted in the field of personalized product customization, and is committed to meeting the diverse and unique needs of customers with excellent professional technology and innovative design capabilities.

## **Company Profile**









## Exhibition











# Certifications



A: We will send you a manual and guide video in English, it can teach you how to operate the spectrometer. Also, our
technicians will offer professional technical operation meetings.

Q: Can you offer an operation training?

A: Your technicians can come to our factory for training. Jinsp engineers or local distributor egnineers can go to your place for local support (installation, training, debugging, maintenance).

Q: How to receive the best price in the shortest time?

A: When you send us an inquiry, please kindly offer details with your application, installatio requirements, working environment requirements and so on. We will send you a quotation with details soon to your email.

Q: Do you have MOQ requirement of each order?

A: No, we support order for even 1pc order.

Q: What is the product warranty?

A: All product has 1 year warranty, support extending warranty period with extra cost. Please contact with our sales person.

JINSP JINSP Company Ltd.		
	S 8618620854039 phoebeyu@jinsptech.com S spectralanalyser.com	
21st Flo	oor, Building D, Tsinghua Tongfang Science and Technology Plaza, Haidian District, Beijing China	