

Quantifying Key Components in Fruits Near-Infrared Spectrometers for Sugar and Moisture Analysis

Our Product Introduction

for more products please visit us on spectralanalyser.com

Basic Information

- Place of Origin: CHINA
- Brand Name: JINSP
- Certification: ISO9001
- Model Number: SR100N17 SR100N25
- Minimum Order Quantity: 1
- Price: Negotiable
- Packaging Details: International Shipping Package
- Delivery Time: 30-40 working days
- Payment Terms: T/T, Western Union
- Supply Ability: 200PCS/30-40 working days



Product Specification

- Measurement Range: 900nm~2500nm
- Wavelength Repeatability: ± 0.05 Nm
- Type: Refrigerated Linear Array InGaAs
- Sensing Area: 12.8mm*0.5mm
- Entrance Slit Width: 5 μ m, 10 μ m, 25 μ m, 50 μ m (customizable)
- Incident Light Interface: SMA905 Fiber Interface, Free Space



More Images



Product Description

Measurement of Sugar and Moisture in Fruits by Near-Infrared Spectrometers

NIR spectroscopy provides rapid, damage-free fruit inspection by evaluating spectral patterns in the near-infrared band. It quantifies key parameters like sugar levels, acidity, and hydration, facilitating objective quality assessment and industrial applications.

The JINSP SR100N series offers dual-wavelength models (1.7 μ m & 2.5 μ m) for flexible NIR spectroscopy. With embedded optical filters, they exclude unwanted light, while the cooled InGaAs detector (512px) minimizes noise. Suitable for transmissive, reflective, and absorptive measurements.

Technical Specifications:

| | Performance Indicators | SR100N17 | SR100N25 |
|-----------------------|--------------------------|--|--------------------|
| Detector | Type | Refrigerated linear array InGaAs | |
| | Effective Pixel | 512 | |
| | Pixel Size | 25 μ m*500 μ m | |
| | Sensing Area | 12.8mm*0.5mm | |
| Optical Parameters | Wavelength Range | 900-1700nm | 900-2500nm |
| | Optical Resolution | 3.1nm(@25 μ m) | 6.3nm(@25 μ m) |
| | Optical Design | F/4 cross-type | |
| | Numerical Aperture | 0.14 | |
| | Focal Length | 100mm | |
| | Entrance Slit Width | 5 μ m ,10 μ m ,25 μ m ,50 μ m (customizable) | |
| | Incident Light Interface | SMA905 fiber interface, free space | |
| Electrical Parameters | Integration Time | 1ms-12s | 1ms-200ms |
| | Data Output Interface | USB2.0, UART | |
| | ADC Bit Depth | 16-bit | |
| | Power Supply | DC4.9 to 5.1V(type @5V) | |
| | Operating Current | 3A | |
| | Operating Temperature | 10°C~40°C | |
| | Storage Temperature | -20°C~60°C | |
| | Operating Humidity | 90%RH (no condensation) | |
| Physical Parameters | Dimensions | 178mm*123mm*49mm | |
| | Weight | 1.2kg | |

Measurement Principle:

NIR spectroscopy (780-2500nm) captures molecular vibration responses to light absorption. Agricultural samples exhibit wide absorption bands from overtone vibrations of common bonds (O-H, C-H), allowing simultaneous chemical characterization and multi-component analysis for quality control applications.

Measurement Method:

Near-infrared reflection detection method: It is suitable for detecting information on the surface of fruit peels, such as color and luster, but not for internal quality detection.

Near-infrared transmission detection method: Theoretically, it is applicable to transparent or semi-transparent samples and cannot penetrate fruits. It is less used in practical applications.

Near-infrared diffuse reflection detection method: It is a measurement method between reflection and transmission, suitable for opaque, solid and semi-solid samples. The obtained spectral information can reflect the characteristics of the internal structure of fruits and is widely used in the detection of internal qualities of fruits (such as sugar content, acidity, etc.).

Applications:

Quality assessment: Predict quality parameters such as firmness, sweetness, and acidity of fruits.


Classification and identification: Distinguish and identify the types of different fruits.

Functional fruit evaluation and screening: It can be used to evaluate and screen functional fruits rich in special components.

Disease monitoring: It can quickly diagnose diseases such as citrus Huanglongbing and provide early warnings for disease prevention and control.



Spectrometer Series



Company Profile and Exhibition:

JINSP Company Limited originates from Tsinghua University and has 17 years of experience in developing spectroscopic technology. As a leading supplier of spectroscopic technology, JINSP Technology offers over twenty spectroscopic products across various fields, including pharmaceutical and chemical industries, public security, customs, and fiber optic spectrometers. Our products are available nationwide and are exported to over 30 countries, with cumulative sales exceeding 3,000 units.

Our products mostly include:

- UV VIS NIR fiber optic spectrometers;
- Desktop/portable, online Raman analyzers for laboratory or industrial liquid & gas analysis;
- On-site rapid detectors/identifiers based on Raman technology for drugs, liquid, food safety, explosive & hazardous materials, pharmaceutical industry etc;

Company Profile



Exhibition



Certifications



FAQ

Q: This is the first time I use, is it easy to operate?

A: We will send you manual and guide video in English, it can teach you how to operate the spectrometer. Also our technicians will offer professional technical operation meetings.

Q: Can you offer an operation training?

A: Your technicians can come to our factory for a training. Jinsp engineers can go to your place for local support (installation, training, debugging, maintenance).

Q: What's your website?

A: You can visit: www.jinsptech.com

Q: What about your quality assurance?

A: We have a quality inspection team. All goods will go through quality inspection before shipment. We can send you pictures for inspection.



JINSP

JINSP Company Ltd.



8618620854039



phoebeyu@jinsptech.com



spectralanalyser.com

21st Floor, Building D, Tsinghua Tongfang Science and Technology Plaza, Haidian District, Beijing China