

SR100N17/SR100N25 High-Resolution Near-Infrared Spectrometers for Sugar and Moisture Measurement in Fruits

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, Western Union

CHINA

JINSP

1

ISO9001

Negotiable

SR100N17 SR100N25

30-40 working days

International Shipping Package

200PCS/30-40 working days

Supply Ability:





Product Specification

- Measurement Range:
- Wavelength Repeatability:
- Type:
- Sensing Area:
- Entrance Slit Width:
- Incident Light Interface:

±0.05 Nm
Refrigerated Linear Array InGaAs

900nm~2500nm

- 12.8mm*0.5mm
- 5μm,10μm,25μm,50μm (customizable)
- e: SMA905 Fiber Interface, Free Space



More Images

💠 JINSP





Measurement of Sugar and Moisture in Fruits by Near-Infrared Spectrometers

Innovative NIR spectroscopy transforms fruit inspection by combining speed and preservation. Through spectral interpretation, it non-destructively quantifies key quality indicators like sugars and acids, refining grading and handling processes.

Tailored for NIR spectroscopy, the SR100N17/SR100N25 models feature 0.9–1.7µm & 0.9–2.5µm ranges. With integrated stray light suppression and a high-resolution 512-pixel detector, they ensure accurate spectral readings in transmission, reflection, or absorption modes.

Technical Specifications:

	Performance Indicators	SR100N17	SR100N25	
	Туре	Refrigerated linear arr	ay InGaAs	
Detector	Effective Pixel	512		
Detector	Pixel Size	25µm*500µm		
	Sensing Area	12.8mm*0.5mm		
	Wavelength Range	900-1700nm	900-2500nm	
	Optical Resolution	3.1nm(@25µm)	6.3nm(@25µm)	
	Optical Design	F/4 cross-type		
Optical	Numerical Aperture	0.14		
Parameters	Focal Length	100mm		
	Entrance Slit Width	5μm ,10μm ,25μm ,50μm (customizable)		
	Incident Light Interface	SMA905 fiber interface, free space		
	Integration Time	1ms-12s	1ms-200ms	
	Data Output Interface	USB2.0, UART		
	ADC Bit Depth	16-bit		
Electrical	Power Supply	DC4.9 to 5.1V(type @5V)		
Parameters	Operating Current	3A		
	Operating Temperature	10°C~40°C		
	Storage Temperature	-20°C~60°C		
	Operating Humidity	90%RH (no condensation)		
Physical	Dimensions	178mm*123mm*49mr	n	
Parameters	Weight	1.2kg		

Measurement Principle:

Within the 780nm - 2500nm NIR range, absorbed light induces molecular vibrations that create spectral fingerprints. Agricultural applications benefit from broad peaks caused by combination vibrations (C-H, N-H), enabling comprehensive quality analysis through chemical and compositional characterization.

Measurement Method:

Near-infrared reflection detection method: It is suitable for detecting information on the surface of fruit peels, such as color and luster, but not for internal quality detection.

Near-infrared transmission detection method: Theoretically, it is applicable to transparent or semi-transparent samples and cannot penetrate fruits. It is less used in practical applications.

Near-infrared diffuse reflection detection method: It is a measurement method between reflection and transmission, suitable for opaque, solid and semi-solid samples. The obtained spectral information can reflect the characteristics of the internal structure of fruits and is widely used in the detection of internal qualities of fruits (such as sugar content, acidity, etc.).

Applications:

Quality assessment: Predict quality parameters such as firmness, sweetness, and acidity of fruits.

Classification and identification: Distinguish and identify the types of different fruits.

Functional fruit evaluation and screening: It can be used to evaluate and screen functional fruits rich in special components. **Disease monitoring:** It can quickly diagnose diseases such as citrus Huanglongbing and provide early warnings for disease prevention and control.



Spectrometer Series Refrigerated Fiber Ultra High Sensitivity SR1000 SR50D **Optic Spectrometer Cooled Fiber Spectrometer** SR50R SR50 1.7µm Near Infrared **Miniature Fiber** Non-cooled Spectrometer **Optic Spectrometer リINSP** 翌知 ð SR100N25 ST830E **OCT Spectrometer Cooled Near-Infrared Spectrometer** ST1003 **SR150S** Transmission Imaging Spectrometer **Deep Refrigerated Spectrometer**

Company Profile and Exhibition:

JINSP Company Limited originates from Tsinghua University and has 17 years of experience in developing spectroscopic technology. As a leading supplier of spectroscopic technology, JINSP Technology offers over twenty spectroscopic products across various fields, including pharmaceutical and chemical industries, public security, customs, and fiber optic spectrometers. Our products are available nationwide and are exported to over 30 countries, with cumulative sales exceeding 3,000 units.

Our products mostly include:

--UV VIS NIR fiber optic spectrometers;

--Desktop/portable, online Raman analyzers for laboratory or indutrial liquid & gas analysis;

--On-site rapid detectors/identifiers based on Raman technology for drugs, liquid, food safety, explosive & hazardous materials, pharmaceutical industry etc;

Company Profile









Exhibition











Certifications



A: You can visit: w Q: What about yo	ebsite? ww.jinsptech.com pur quality assurance? lity inspection team. All goods will go through quality inspection before shipment. We can send you pictures

21st Floor, Building D, Tsinghua Tongfang Science and Technology Plaza, Haidian District, Beijing China